



VIVID SERIES E-350H 350W 6IN1 COLORFUL LED ELLIPSOIDAL PROFILE SPOT LIGHT



This is a professional LED Fixed Lens Profile Spot Light. It uses high CRI and high power LED integrated lamp (COB lamp) as the light emitting element, adopting the United State ETC optical lenses. This light is saving energy and protecting environment, pure color temperature, it is a very suitable substitute of the traditional 750 profile light.



FEATURES

- High light efficiency, good color rendering, low glare value;
- Long lifespan, energy conservation, environmental protection;
- Linear dimmer by DMX signal, smoothly 0-100%;
- Silent, owns good cooling system by copper radiation and fan(within 18db);
- High CRI more than 91Ra.



TECHNICAL SPECIFICATIONS

Light Sources

- LED: 1pc RGBALC 6in1 350W COB LED Lamp
- Lifespan: 500,000h
- Color: RGBALC 6in1 color mixing
- Color temperature: 2700-10000K
- CRI: 91+

Optics

- Beam angle: 19/26/36/50degree optional, fixed lens
- Gobo clip: 1pc gobo clip with steel gobo, optional
- Dimmer: 0-100% linear dimmer
- Strobe: 1-25 times/second

Light Output

- Luminous flux: 11000 Lm
- Optimal projection distance: 4-15m

Movement

- Focus: Manual
- Gobo clip: Manual

Control

- Control mode: DMX-512; Demo; Master/slave
- DMX channel: 10CH
- Display of control panel: digital LCD display + 4 buttons
- DMX In/Out: 3P-XLR DMX In/Out(5pin is optional), DMX 512

Power Supply

- Related voltage: AC100V-240V, 50/60Hz
- Related power: 400W

Construction

- Body dimension: D770*W330*H340mm
- Net weight: 10.5kg
- Shell color: black/white
- Shell material: die-casting aluminum

Working Environment

- Working temperature: -25-40^{°C}
- Cooling: Copper radiation and Fan
- Protection rating: Ip20

Equipment Optional Configuration

- Gobo clip: 1pc gobo clip
- Gobo: steel gobo, Gobo size: inner diameter 60mm, outer diameter 71.6mm
- Barn doors: 1 set barn doors
- Colored paper clip: 1 set colored paper

Standard Configuration Spare Part List

- Cable: 1pc 3-pin DMX cable, 1pc power cable with plug (America standard, Euro standard, or other standard)
- User manual: English version user manual
- Clamp bridge: 1 set clamp bridge

Optional Configuration Spare Parts List



- Clamps: different style clamps optional (choose from VanGaa homepage "Accessories series")
- Safety rope: different size safety ropes optional (choose from VanGaa homepage "Accessories series")



Package

- Carton board box package size: 740*310*330mm(1pc/carton)
- N.W/G.W/V.W: 10.5kg/13kg/15kg



LUX CHART





DIMENSION

